

seko

Dynamic PRO

Bomba Dosadora Peristáltica Digital



Your Choice,
Our Commitment

Dynamic PRO

Bomba Dosadora Peristáltica Digital

Características

- Controle de velocidade por software
- Tecnologia Transaxle de centralização do rolete
- Entrada para sensor de nível de produto
- Chave ON/OFF/Priming
- Alimentação automática 100 a 240 Vac
- Digital
- Trigger externo (acionamento remoto) 20 a 240 Vac
- Dosagem constante e ajustável de 10 a 100% do caudal máximo

Caudais mínimos das Bombas Dynamic PRO e os seus códigos

Código	Descrição da Bomba
SKFK1H01M1000	Dynamic PRO 2,5 ml/h 1,5 Bar 100/240 Vac Tubo San
SKFK1H02M1000	Dynamic PRO 15,1 ml/h 1,5 Bar 100/240 Vac Tubo San
SKFK1H03M1000	Dynamic PRO 151,2 ml/h 1,5 Bar 100/240 Vac Tubo San
SKFK1H04M1000	Dynamic PRO 540 ml/h 1,5 Bar 100/240 Vac Tubo San
SKFK1H05M1000	Dynamic PRO 975 ml/h 1,5 Bar 100/240 Vac Tubo San

Código						
Série Dynamic	PRO System	Pressão Nominal	Caudal (ml / h)	mínimo	máximo	
SK	FK	1H	01	2,5	25	
			02	15,1	151	
			03	151,2	1.512	
			04	540	5.400	
			04	540	5.400	
			Tensão de alimentação			
			M 100 a 240 Vac			
			Tubo silastic			
			1	Santoprene (todos os modelos)		
			2	Seko Bril (todos os modelos)		
			3	Seko flex (somente vazão 04 e 05)		
			Especificações extras			
SK	FK	1H	01	M	1	0000
Exemplo deste código			Dynamic PRO 2,5 ml/h 1,5 Bar 100 a 240 Vac			



Your Choice, Our Commitment

In the modern Globalised world, being a privately owned Company has significant benefits especially for our Customers, our Partners. For over 40 years, SEKO has developed a Global organisation able to take the longer view, manage the pressure of the now, and to plan for the long term, delivering true Partnership for our Customers, with transparency and mutual respect for each other.

Whether it's for our reknown flexibility, our attention to detail, the high-quality products, or just the way we do business, we understand that it's Your Choice to do business with us. It is Our Commitment to fulfill your needs wherever you, our Customers are.



For more information about our portfolio, worldwide locations, approvals, certifications, and local representatives, please visit www.sekouk.com

Rua Professor Luciano Prata, nº 130 – Vila Baruel
São Paulo/SP – Cep 02510-020 - Brasil
Phone : +55 11 2076 7676 • Fax: +55 11 2076 7676
sekobrasil@sekobrasil.com.br • www.sekobrasil.com.br

© SEKO, Layout and origin: England, 850002-xxx_fr, 03.2017

seko