

ESPECIFICAÇÕES

Serie	Kw	Power	Condensador	Passagem	DNC	QMax	HMax	Paleta
Ma35 22.75.1	0.75	5.6	0					
Ma35 22.75.3	0.75	1.7	0	0	1 1/4"	9	22	
Ma40 20.110.1	1.1	7.3	0					
Ma40 20.110.3	1.1	2.6	0	0	1 1/2"	15	20	
Ma40 25.110.1	1.1	7.3	0					
Ma40 25.110.3	1.1	2.6	0	0	1 1/2"	15	25	
Mb35 22.75.1	0.75	5.6	25					
Mb35 22.75.3	0.75	1.7	0	0	1 1/4"	9	22	
Mb35 30.110.1	1.1	7.3	30					
Mb35 30.110.3	1.1	2.6	0	0	1 1/4"	14	30	
Mb35 30.75.1	0.75	5.6	25					
Mb35 30.75.3	0.75	1.7	0	0	1 1/4"	10	30	
Mb35 40.150.3	1.5	3.3	0	0	1 1/4"	10	40	
Mb40 22.75.1	0.75	5.6	25					
Mb40 22.75.3	0.75	1.7	0	0	1 1/2"	16	22	
Mb40 25.110.1	1.1	7.3	30					
Mb40 25.110.3	1.1	2.6	0	0	1 1/2"	10	25	
Mb40 30.110.1	1.1	7.3	30					
Mb40 30.110.3	1.1	2.6	0	0	1 1/2"	17	30	
Mb40 30.150.3	1.5	3.3	0	0	1 1/2"	18	30	
Mb40 35.220.3	2.2	4.7	0	0	1 1/2"	18	35	
Mb40 40.220.3	2.2	5.2	0	0	1 1/2"	18	40	
Mb50 22.110.1	1.1	7.3	30					
Mb50 22.110.3	1.1	2.6	0	0	2"	21	22	
Mb50 22.150.1	1.5	7.6	40					
Mb50 22.150.3	1.5	3.3	0	0	2"	26	22	
Mb50 27.220.3	2.2	4.7	0	0	2"	26	27	
Mb50 30.300.3	3	6.3	0	0	2"	26	30	
Mb50 35.300.3	3	6.3	0	0	2"	26	35	
Mb50 50.400.3	4	13	0	0	2"	30	50	
Mb65 22.220.3	2.2	4.7	0	0	2 1/2"	32	22	
Mb65 22.300.3	3	6.3	0	0	2 1/2"	40	22	
Mb65 27.300.3	3	6.3	0	0	2 1/2"	40	27	
Mb65 30.400.3	4	8.2	0	0	2 1/2"	40	30	
Mb65 35.550.3	5.5	11	0	0	2 1/2"	40	35	
Mb80 22.300.3	3	6.3	0	0	3"	60	22	
Mb80 25.400.3	4	8.2	0	0	3"	56	25	
Mb80 30.550.3	5.5	11	0	0	3"	60	30	
Mb80 35.550.3	5.5	11	0	0	3"	60	35	